

HOSE REEL

Hose reel

Professional springloaded hose reel for 15 or 20 metre long 3/8" hoses. Equipped with a movable arm to direct the hose, which enables location of the reel in tight spaces or roof-mounting. A optional pivoting wall-mounting is offered, which facilitates lateral work.

Features - Benifits - Facts

- Robust**
 - Can handle high-pressure
- Springloaded**
 - Quick roll-up
 - Decreased hose wear, as the hose does not drag on the floor
- Stainless steel**
 - Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	400 bar
Material	Stainless steel
Connection	3/8" int. thread
Measurements WxDxH	470 x 180 x 470 mm 470 x 230 x 470 mm

A hygienic protective cover made of stainless steel has been specially developed for the Lagafors hose reel.

Technical specification	
Material	Stainless steel
WxDxH	490 x 280 x 620 mm

Art. No.	Description	Hose length (m)
20000	Hose reel RF	15
20001	Hose reel RF	20
13022	Angle bracket	15
13020	Angle bracket	20
30960	Protective cover	



Hose reel


Professional springloaded hose reel for 15 or 20 metre long 3/8" hoses. Equipped with a movable arm to direct the hose, which enables location of the reel in tight spaces or roof-mounting. A optional pivoting wall-mounting is offered, which facilitates lateral work.

Features - Benifits - Facts

- Robust**
 - Can handle high-pressure
- Springloaded**
 - Quick roll-up
 - Decreased hose wear, as the hose does not drag on the floor
- Stainless steel**
 - Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	200 bar
Material	Stainless steel
Connection	1/2" int. thread
WxDxH	540 x 360 x 540 mm

Art. No.	Description	Hose length (m)
34006	Hose reel RF	25-30
34071	Angle bracket	



The data is subject to variation and the producer reserves the right to change design specifications without notice.

HOSE REEL

Local distributor:

Hose reel

Professional springloaded stainless steel hose reel for thicker hoses. Equipped with a movable arm to direct the hose, which enables location of the reel in tight spaces or roof-mounting.

Features - Benifits - Facts

- Robust**
- Can handle 3/4" hose up to 20 metres in length
- Spring loaded**
- Quick roll-up
 - Decreased hose wear, as the hose does not drag on the floor
- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	20 bar
Material	Stainless steel
Connection	3/4" int thread
WxDxH	550 x 460 x 485 mm

Art. No.	Description	Hose length (m)
20020	Hose reel RF	20 m
20021	Angel bracket RF	



Hose reel Hygiene

This hose reel has been specially developed for industries with high hygienic requirements. All surfaces are made of stainless steel and it is designed to prevent build-up of filth and bacteria. The dual spring cassette ensures safe and efficient roll-up of the hose. Approved by the independent organization "Royal Institute of Public Health".

Features - Benifits - Facts

- Hygienic design**
- Minimized risk of bacterial growth
 - Developed to meet high future requirements in the food industry
- Spring loaded**
- Quick roll-up
 - Decreased hose wear, as the hose does not drag on the floor
- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	180 bar
Material	Stainless steel
Connection	3/8" int. thread
WxDxH	732 x 490 x 555 mm

Art. No.	Description	Hose length (m)
20002	Hose reel Hygiene	25 m



The data is subject to variation and the producer reserves the right to change design specifications without notice.

HOSE REEL / MANUAL HOSE REEL

Electric hose reel

Slangupprullare för högtrycksslangar och där det krävs längre slangar. Tillverkad för att kunna användas i tuff och fuktig miljö. Slangupprullare EI har motordriven slangupprullning vilket skötar användaren.

Features - Benifits - Facts

- Electric motor-driven**
- Automatic roll-up
 - Reduced hose wear, as the hose is lifted from the floor
 - Remote control

- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	220 bar
Material	Stainless steel
Connection	3/4" int. thread
WxDxH	628 x 455 x 550 mm

Art. No.	Description	Hose length (m)
20100	Hose reel ERGO	30 m



Manual hose reel


Light-weight and easy-to-use, manual stainless steel hose reel for both high and low pressure. A flexible wall bracket is included.

Features - Benifits - Facts

- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Technical specification	
Working pressure	200 bar
Material	Rostfritt stål
Connection	3/8" inv
WxDxH	590 x 320 x 400 mm

Art. No.	Description	Hose length (m)
20003	Hose reel, manual	25 m




Hose rack

Stainless steel hose rack for hanging hoses by satellite stations or on a carriage. Robust and hygienic.

Features - Benifits - Facts

- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene

Art. No.	Description	Hose length (m)
14000	Small, stainless steel wire hose rack	30 m, 1/2" hose
14001	Large, stainless steel wire hose rack	30 m, 3/4" hose



The data is subject to variation and the producer reserves the right to change design specifications without notice.

CONTAINER HOLDER

NOZZLE RACK / NOZZLE BAG

Local distributor:

Container holder

Stainless steel container holder to hold chemical solution containers. Robust and hygienic. Available in various sizes and materials.

Features - Benefits - Facts

- Stainless steel**
- Hygienic material
 - Saves time, cost of spare parts and increases hygiene


Art. No.	Description	Size
30065	Container holder	1 x 5 liter
30062	Container holder	1 x 25 liter
30099	Container holder	2 x 25 liter



Nozzle rack

Stainless steel rack for nozzles. Fits up to 5 nozzles.

Art. No.	Description
36782	Stainless steel



Nozzle bag

A practical and hygienic nozzle bag that offers cleaning staff accessibility and better control of their tools. Using a simple fastener, the bag can be attached to the belt. When work has been completed, the bag and its contents can be cleaned in a dishwasher.

Art. No.	Description
30980	Nozzle bag with belt



The data is subject to variation and the producer reserves the right to change design specifications without notice.