

SPRAY GUNS

Spray Gun HP1500

Robust and impact resistant spray gun with a spring loaded trigger. Suitable for many different applications within professional high pressure cleaning. Available with or without swivel.

Technical specification	
Working pressure	275 bar
Flow	45 l/min
Temperature	150 °C
Weight	550 g
Material	Brass, plastic
Connection	in 3/8" int, out 1/4" int.

Art. No.	Description
4133	Spray gun HP1500
4134	Spray gun HP1500 w. swivel



Spray Gun HP2600/2700

Robust spray gun with a spring loaded trigger and an easy squeeze function, which reduces the risk of muscle stress on the operator. Suitable for many different applications within professional high pressure cleaning. Delivered with or without swivel. Also available with stainless steel components.

Technical specification	
Working pressure	310 bar / 125 bar *
Flow	45 l/min / 80 l/min *
Temperature	150°C
Weight	600 g
Material	Brass, plastic or Stainless steel, plastic
Connection	in 3/8" int, out 1/4" int.

* ST 2720

Art. No.	Description
5239	Spray gun HP2600
5240	Spray gun HP2600 w. swivel
5241	Spray gun HP2700 SS
33018	Spray gun HP2720 RF



Spray Gun HP601

Ideal spray gun for vertical cleaning and cleaning of surfaces above the head. The design offers a straight flow through the gun and several different grip possibilities. The spray gun has a spring loaded trigger and suits many cleaning application.

Technical specification	
Working pressure	275 bar
Flow	45 l/min
Temperature	150°C
Weight	550 g
Material	Brass, plastic
Connection	in 3/8" int, out 1/4" int.

Art. No.	Description
4132	Spray gun HP601



The data is subject to variation and the producer reserves the right to change design specifications without notice.

SPRAY GUNS

Local distributor:

Spray Gun LP 10 bar

Easy to handle low pressure spray gun usable for a variety of wash and cleaning dutys. The trigger is activated with the palm of the hand. Adjustable spray pattern and replacable rubber grip.

Technical specification	
Working pressure	10 bar
Flow	38-61 l/min (7 bar)
Temperature	93 °C
Weight	700 g
Material	Brass, rubber
Connection	1/2" int.

Art. No.	Description
5046	Spray gun LP 10 bar black
4899	Spray gun LP 10 bar white
5049	Swivel 1/2"
5050	Swivel 3/4"



Spray Gun LP 25 bar

Low pressure spray gun with a robust spray nozzle and good grip that suits most cleaning applications. Adjustable spray pattern from tight beam to 60° wide. Suitable for most cleaning dutys.

Technical specification	
Working pressure	25 bar
Flow	25-42 l/min (5 bar)
Temperature	80°C
Weight	900 g
Material	Brass, rubber
Connection	1/2" int.

Art. No.	Description
5045	Spray gun LP 25 bar
5049	Swivel 1/2"
5050	Swivel 3/4"



The data is subject to variation and the producer reserves the right to change design specifications without notice.


SPRAY GUNS

Spray Pipe

Easy construction without trigger, by turning the pipe flow and scattering angle is adjusted. Can be adjusted from concentrated spray to water mist.

Technical specification	
Working pressure	10 bar
Flow	100 l/min (5 bar)
Temperature	80°C
Weight	300 g
Material	Brass, plastic
Connection	3/4" ext.

Art. No.	Description
12010	Spray pipe white
12073	Hose connector 1/2"
12074	Hose connector 3/4"



Low pressure ball valve

Easy to use low pressure ball valve with trigger guard. Very robust in its construction.

The low pressure ball valve is not equipped with "dead man's" grip.

Technical specification	
Working pressure	50 bar
Flow	90 l/min (5 bar)
Temperature	70°C
Weight	0,56 kg
Material	Stainless steel
Connection	1/2" int.

Art. No.	Description
35240	Low pressure ball valve



The data is subject to variation and the producer reserves the right to change design specifications without notice.

Local distributor: